

5720-14

10G 30W 802.3at PoE+ Midspan Injector



Description

30W 802.3at PoE+ Midspan Injector can add the power to Ethernet cable and transmit PoE with up to 30W power and 10G bandwidth to edge IP devices.

There is no need to buy an expensive PoE switch or install electrical wiring and outlets in hard to reach locations. Both power and data are running over signal Ethernet cable which makes the installation convenient and cost-saving.

Typical Application

- Retail
- Convenience Store
- Workshop
- Logistics
- Home
- and others

5720-14	
Dimensions	116*60*33mm
Weight	166g
Networking Interfaces	(1) 100/1000/10000 Mbps PoE Ports (1) 100/1000/10000 Mbps Ethernet Ports
PoE Interfaces	IEEE802.3af/at
PSE Power on RJ-45	Data Pairs 1/2(+),3/6(-)
Power Method	100-240VAC/50-60 Hz, Universal Input
Power Supply	AC/DC, Internal
PoE budget	30W
LEDs Per Port	AC (Power), Port (PoE)
ESD/EMP Protection	Air: ± 6 kV, Contact: ± 4 kV
Surge Protection	Different mode ±4 kv, Common mode ±6 kv
Operating Temperature	-0°C ~ 40 °C
Operating Humidity	5% ~ 90% non-condensing
Certifications	CE, FCC, IC
Voltage Range	55V DC